

Mission 6: Heartbeat

Student Workbook





Mission 6: Heartbeat

Animate a beating heart on the display and learn about the power of loops.


Let's keep it going

Your programs are cool, but they only run one time. Then they stop. Let's keep the code going by repeating the code in a loop. Also, you will use buttons to control the code.

You have probably seen flashing traffic road signs or traffic lights.

Go to the Mission 6 Log and fill out the Pre-Mission preparation.

- Make a list of blinking indicators (like flashing traffic road signs)




Mission 6: Heartbeat

In this project you'll give the CodeX a *beating heart*.

Okay, not a *real* heart - that would be a little too messy!

But using the display you can give the CodeX its own *digital* heart, and even make it speed up and slow down just like your own heart does.



Mission 6: Get started


- Go to <https://make.firialabs.com/> and log in.
- Go to Mission 6 
- Click **NEXT** and start Mission 6.

Objective #1: Lots of heart


Start by reviewing programming concepts from your earlier missions.

Show a heart image on the screen.

- You might recognize this as the same code as your first project.
- Don't worry, you're going to add a *lot* of new features soon!




Objective #1: Lots of heart



DO THIS:

- Start a new file named **Heart2**
- Show `pics.HEART` on the CodeX display
 - Use CodeTrek if you need help



```
from codex import *  
  
display.show(pics.HEART)
```



Objective #2: Pump it UP

Now you will animate the heart to make it look like it is beating.

- You will need two heart images:
 - `pics.HEART`
 - `pics.HEART_SMALL`
- You need a **delay** variable to see both images
- You need to **import sleep** to use the **delay** variable



DO THIS:

- From `time`, import `sleep`
- Define a `delay` variable
- Show the first heart
 - Then `sleep`
- Show the second heart
 - Then `sleep`

```
from codex import *
from time import sleep

delay = 1



display.show(pics.HEART)
sleep(delay)
display.show(pics.HEART_SMALL)
sleep(delay)
```

Objective #3: Repeat da beat

Now you have a heartbeat.

But one heartbat isn't an animation.

- You can repeat the code to repeat the heartbeat several times



DO THIS:

- Repeat the code for the large and small hearts at least 4 times


```
# one heartbeat
display.show(pics.HEART)
sleep(delay)
display.show(pics.HEART_SMALL)
sleep(delay)
# one heartbeat
display.show(pics.HEART)
sleep(delay)
display.show(pics.HEART_SMALL)
sleep(delay)
# one heartbeat
display.show(pics.HEART)
```

Objective #4: Hearts forever


Four beats is a good animation, but it ends.

We want our heart animation to run forever.

- You can't just copy millions of times
- Instead, tell the computer to repeat the code
- Repeating code without retyping is called a LOOP



DO THIS:

- Click on 
- Go to your Mission Log and answer the questions for Objective #4
- Click on 
- Go to your Mission Log and answer the questions for Objective #4

Mission Activity: Objective #4

Click on . Write the definition of "loop":

.....

Write a fact about loops:

.....

.....

Write the definition of "while loop":

.....

.....

Mission Activity: Objective #4 (continued)

Click on . What is the result of a condition?


.....

Give an example of a condition:

.....

Objective #4: Hearts forever

Modify your code



DO THIS:

- Delete all the repeated code except the first heartbeat
- Add a while loop to the code
 - Type a colon (:) at the end of the line
 - Indent the heartbeat code
 - Use the TAB key to indent your heartbeat code
- Run the code
 - You will need to click “STOP RUNNING”  to end the code.

```
from codex import *
from time import sleep

delay = 1

while True:
    # one heartbeat
    display.show(pics.HEART)
    sleep(delay)
    display.show(pics.HEART_SMALL)
    sleep(delay)
```


Objective #5: Stop it!

A while loop that goes forever without stopping is an **infinite loop**. This is because the condition is always True.

- Right now, the only way to stop the loop is to click the “STOP” button 

The heartbeat changes at the same speed, forever.

- You can change the value of **delay** to change the speed of the heartbeat



DO THIS:

- Go to your Mission Log and write the definition for **infinite loop**.

Modify your code

- If your code is still running, click “STOP”
- Change the value of **delay** to 2

```
delay = 2


while True:
    # one heartbeat
    display.show(pics.HEART)
    sleep(delay)
    display.show(pics.HEART_SMALL)
    sleep(delay)
```

- Run the code
- Click “STOP”
- Change the value of **delay** to 0.5
- Run the code
- Click “STOP”
- OPTIONAL: try different values for **delay**


Objective #6: Heart break


You still have an infinite loop.

- Instead of clicking the “STOP” button, write code to stop the loop
- Use a **break** command
- The **break** command is used in an **if** statement
- Press a button to break out of the loop and stop the program




DO THIS:

- Click on  CodeX buttons
- Go to your Mission Log and answer the questions for Objective #6



Objective #6: Heart break

Modify your code



DO THIS:

- Add an if statement to the while loop to break out of the loop
 - Be careful with the indenting
 - Make sure to add a colon (:) after the if statement
- Run the code
- Press the “A” button to stop the code

```
while True:
    # one heartbeat
    display.show(pics.HEART)
    sleep(delay)
    display.show(pics.HEART_SMALL)
    sleep(delay)

    if buttons.was_pressed(BTN_A):
        break
```


Objective #7: Explore the beat

Now your CodeX is interactive!

And your coding skills are growing.

- You learned about
 - Input -- using a button press
 - Branching -- if statements with a condition
- Now you CodeX can do something different when a button is pressed

Review the concepts



- Branching
 - Use an if statement
 - Has a condition
 - The condition can be True or False
 - If the condition is True, the indented code is executed
 - If the condition is False, the indented code is skipped


• Branching Example:

- Use an if statement
- Has a condition
- The condition can be True or False
- If the condition is True, the indented code is executed
- If the condition is False, the indented code is skipped

```
num = 4
if num < 5:
    display.show(pics.HAPPY)
```

```
num = 7
if num < 5:
    display.show(pics.HAPPY)
```

Objective #7: Explore the beat




Review the concepts

- CodeX button input
 - Two different functions check for a CodeX button press
 - **buttons.was_pressed(BTN_A)**
 - Checks to see if BTN_A was pressed since the last check
 - **buttons.is_pressed(BTN_A)**
 - Checks to see if BTN_A is currently pressed
 - Both functions are a condition
 - They evaluate to True or False
 - Both functions can be used in an if statement
 - Branching Example with input:
 - Use an if statement
 - Has a condition
 - The condition can be True or False
- ```
if buttons.was_pressed(BTN_A):
 display.show(pics.HAPPY)
```
- If BTN\_A was recently pressed, the indented code is executed
  - If a different button was recently pressed, the indented code is skipped

## Objective #7: Explore the beat

Experiment with the code



### DO THIS:

- Click the debugger button
- Use the Step Over button to watch the branching
  - You must step at least 8 times
  - Go through the while loop one time
  - Then press BTN\_A and go through the loop again
- The code should break out of the loop and stop



*Step  
Over*

*Stop*



### Mission Quiz: Break-fast

Test your skills by **taking the quiz.**

## Objective #8: Half a sleep

You can make the heart beat faster!


What controls the speed of the beat so far?

- The **delay** variable
- `sleep()`

To beat faster, the **delay** variable needs to be a smaller value.

But what is smaller than `delay = 1`?


- There isn't an integer less than 1 that can be used for delay
- You need to use a real number, or decimal, like 0.5 or 0.75
- The decimal in the number is called a "floating point"
- The data type for a real number is **float**



## Objective #8: Half a sleep

Now you know five data types:

- Integer (Examples: 1, 54, 720)
- CodeX image (Examples: pics.HEART, pics.MUSIC)
- String (Examples: "Hello", "Press A", "cake")
- Boolean (Values: True, False)
- Float (Examples: 0.5, 3.125, 49.02)



### DO THIS:

- Set the value of delay to 1
- Use the float value 0.5 in the two sleep() commands
- Run the code
- After a few fast heartbeats, press BTN\_A to stop the program

```
delay = 1


while True:
 # one heartbeat
 display.show(pics.HEART)
 sleep(0.5)
 display.show(pics.HEART_SMALL)
 sleep(0.5)

 if buttons.was_pressed(BTN_A):
 break
```

## Objective #9: Variable speed control

You can change the speed of the heartbeat by changing the value of the variable **delay**.

- You will need your **delay** variable
- You will need to use it in the **sleep()** command



### DO THIS:

- Use the delay variable in the 2 sleep() commands
- Run the code
- After a few fast heartbeats, press BTN\_A to stop the program

```
delay = 1

while True:
 # one heartbeat
 display.show(pics.HEART)
 sleep(delay)
 display.show(pics.HEART_SMALL)
 sleep(delay)

 if buttons.was_pressed(BTN_A):
 break
```

## Objective #10: Brake! Not break

With a variable, your heartbeat speed is easy to change.

- You can change the speed while the program is running
- Use the buttons to change the value of delay

Look at the code below:

```
if buttons.was_pressed(BTN_A):
 delay = delay + 0.2
```

Look carefully at the indented code:

```
delay = delay + 0.2
```


- This doesn't make sense in math, but it does make sense to a computer
- The original value of **delay** is 1, or 1.0
- Then 0.2 is added to the current value
- The new value is assigned to **delay**, like this:

```
delay = delay + 0.2
delay = 1.0 + 0.2
delay = 1.2
```

## Objective #10: Brake! Not break

```
delay = delay + 0.2
```

- Adding a set amount, like 0.2, to a variable is called “increment”
- In this code, every time BTN\_A is pressed, the delay will increase by 0.2
- A larger number for delay will slow down the heartbeat



Ready to try? Your first goal is to slow down the heartbeat.

### DO THIS:

- Change the if statement
- Remove “break”
- Replace it by incrementing delay
- Run the code and press BTN\_A a few times

```
delay = 1
while True:
 # one heartbeat
 display.show(pics.HEART)
 sleep(delay)
 display.show(pics.HEART_SMALL)
 sleep(delay)

 if buttons.was_pressed(BTN_A):
 delay = delay + 0.2
```

- The heartbeat should slow down each time
- Press the STOP button to stop the program

## Objective #11: Variable speed heart

You added code to slow down the heartbeat. Now add code to speed up the heartbeat.

- Use BTN\_B
- The code will be almost the same as the if statement for BTN\_A

```
if buttons.was_pressed(BTN_B):
 delay = delay - 0.2
```

Look carefully at the indented code:

```
delay = delay - 0.2
```

- The original value of **delay** could be 1.0, or 1.2, or 1.4
- In this code, 0.2 is subtracted from the current value
- Then the new value is assigned to **delay**, like this:

```
delay = delay - 0.2
delay = 1.4 - 0.2
delay = 1.2
```

## Objective #11: Variable speed heart


```
delay = delay - 0.2
```

- Subtracting a set amount, like 0.2, to a variable is called “decrement”
- In this code, every time BTN\_B is pressed, the delay will decrease by 0.2
- A smaller number for delay will speed up the heartbeat

When you add the if statement, you can speed up and slow down the heartbeat with the press of two buttons

- But ... be careful!
- Pressing BTN\_B several times can give a 0 or negative value for delay
- The sleep() function must have a positive value!
- So, an error will occur if BTN\_B is pressed too many times.

## Objective #11: Variable speed heart



### DO THIS:

- Go to your Mission Log and complete the questions for Objective #10 and Objective #11

Complete the second goal to speed up the heartbeat.

- Add an if statement for BTN\_B to decrement delay
- Run the code and press BTN\_A a few times and BTN\_B a few times
- The heartbeat should slow down and speed up
- Press BTN\_B enough times to cause an error and stop the program

```
delay = 1

while True:
 # one heartbeat
 display.show(pics.HEART)
 sleep(delay)
 display.show(pics.HEART_SMALL)
 sleep(delay)

 if buttons.was_pressed(BTN_A):
 delay = delay + 0.2

 if buttons.was_pressed(BTN_B):
 delay = delay - 0.2
```




## Mission Quiz: Heartfelt Recap

Test your skills by **taking the quiz.**

### Mission Complete

You have completed the sixth mission.



#### Do this:

- Read your “Completed Mission” message
- Complete your Mission 6 Log
  - Post-Mission Reflection
- Get ready for your next mission!

### Wait! Before you go ... Clear the CodeX

Go to FILE -- BROWSE FILES

Select the “Clear” file and open it

Run the program to clear the CodeX

**Okay. Now you can go.**